90% of the users have significant improvement in the FibroScan values

It takes effect after the users took fucoxanthin for two months, as shown by the accurate testing using a newer version of FibroScan. There is a significant improvement in the Fatty Liver Index. One will have better effect if he/she continues to take it for half a year.

Interpretation of Liver Stiffness in kPa								
		Probable Minimal Fibrosis	Borderline Fibrosis	Probable Advanced Fibrosis	Probable Cirrhosis			
Hepatitis B	Normal ALT	≤ 6.0	> 6.0 - 9.0	> 9.0 - 12.0	> 12.0			
	Elevated ALT	≤ 7.5	> 7.5 - 12.0	> 12.0 - 13.4	> 13.4			
Hepatitis C		≤ 7.0	> 7.0 - 9.5	> 9.5 - 12.5	> 12.5			
NAFLD		≤ 5.8	> 5.8 - 9.6	> 9.6 - 11.5	> 11.5			
Alcoholic Liver Disease		< 5.9	> 7.8	> 11	> 19.5			
Liver Stiffness for healthy individual			2.3kPa - 5.9kPa					

Interpretation of Controlled Attenuation Parameter (CAP) in dB/m6						
Liver steatosis	Minimal (5-10%)	Mild (11-33%)	Moderate (34-66%)	Severe (≥67%)		
CAP	< 248	248 - 267	268 - 279	≥ 280		





Taken for half a year

Mr. Lau said, "It is refreshing. I become energetic."

Taken for 4 months

Miss Law said, "My skin has improved. I can easily fall asleep."





better!"

18/11/2021 10:59:15 IQR Exam:

Operator

IQR/Med Organ: Operator:

26% E-MEASUREMENTS: